



MAPP 20524/PCS 04950

GROUP 3 FUNGICIDE

For the control of *Alternaria* in potatoes.

Emulsifiable concentrate containing
250 g/L (23.6% w/w) difenoconazole.

Net content

5L

FUNGICIDE



FOR PROFESSIONAL USE ONLY

For technical and non-emergency
calls phone +44 (0)845 373 0305

Production date/Batch number:
see packaging

SAFETY INFORMATION

NARITA

Emulsifiable concentrate containing
250 g/L (23.6% w/w) difenoconazole.

Harmful if swallowed.

**May be fatal if swallowed
and enters airways.**

Causes serious eye irritation.

**Suspected of causing cancer
(IE+NI-only).**

**Very toxic to aquatic life
with long lasting effects.**

Keep out of reach of children.

Wear protective gloves/

protective clothing/

eye protection/face protection.

**IF SWALLOWED: Immediately
call a POISON CENTRE or doctor/
physician.**

Do NOT induce vomiting.

**IF IN EYES: Rinse cautiously with water for
several minutes. Remove contact lenses, if
present and easy to do. Continue rinsing.**

**If eye irritation persists get medical advice/attention.
Collect spillage.**


**Dispose of contents/container to a licensed hazardous
waste disposal contractor or collection site except for
empty, triple rinsed containers which can be disposed of
as non-hazardous waste.**

UFI: WC00-509Q-400N-GX5A

**Repeated exposure may cause
skin dryness or cracking.**

**To avoid risks to human health
and the environment, comply
with the instructions for use.**

MAPP 20524/PCS 04950



DANGER


Globachem
Your Crop Counts

Authorisation Holder
GLOBACHEM NV
Brustem Industriepark
Lichtenberglaan 2019
B-3800 Sint-Truiden
Belgium
Tel: +32 11 78 57 17
globachem@globachem.com
www.globachem.com

® Registered Trademark
of GLOBACHEM NV

**For advice on medical emergencies, fires, spillages or
chemical hazards ONLY – phone Carechem 24 EU:
+44 (0)1235 239670**



IMPORTANT INFORMATION

FOR USE ONLY AS AN AGRICULTURAL FUNGICIDE

Crop	Maximum individual dose	Maximum number of applications	Latest time of application	Other specific restrictions
Potato	For full details refer to leaflet attached to the product pack.			

READ THE LABEL BEFORE USE. USING THIS PRODUCT IN A MANNER THAT IS INCONSISTENT WITH THE LABEL MAY BE AN OFFENCE. FOLLOW THE CODE OF PRACTICE FOR USING PLANT PROTECTION PRODUCTS.

THE (COSHH) CONTROL OF SUBSTANCES HAZARDOUS TO HEALTH REGULATIONS MAY APPLY TO THE USE OF THIS PRODUCT AT WORK – UK ONLY.

SAFETY PRECAUTIONS

Operator Protection

Engineering control of operator exposure must be used where reasonably practical in addition to the following personal protective equipment:
WEAR SUITABLE PROTECTIVE CLOTHING (COVERALLS), SUITABLE PROTECTIVE GLOVES AND FACE PROTECTION (FACESHIELD) when handling the concentrate.

However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection – UK only.
WASH HANDS AND EXPOSED SKIN before meals and after work.
If you feel unwell, seek medical advice immediately and show this container or label.
In case of contact with eyes rinse immediately with plenty of water and seek medical advice.
When using, do not eat, drink or smoke.

Environmental Protection

Do not contaminate water with the product or its container.
Do not clean application equipment near surface water.

Avoid contamination via drains from farmyards and roads.

To protect aquatic organisms respect an unsprayed buffer zone to surface water bodies in line with LERAP requirements – UK only.

To protect aquatic organisms respect an unsprayed buffer zone of 5 m to surface water bodies (Ireland).

Use appropriate containment to avoid environmental contamination.

DO NOT ALLOW DIRECT SPRAY from horizontal boom sprayers to fall within 5 m of the top of the bank of a static or flowing water body, unless a Local Environment Risk Assessment for Pesticides (LERAP) permits a narrower buffer zone, or within 1 m of the top of a ditch which is dry at the time of application.

Aim spray away from water.

Where the product has a buffer zone of 5 m or less (for horizontal boom sprayers without DRT) - a buffer zone of 1 m from the top of the bank of a static or flowing water body will apply for hand-held spray application.
Where the product has a buffer zone of >5m (for horizontal boom sprayers without DRT) - the same buffer zone from the top of the bank of a static or flowing water body will apply for hand-held spray application.

LERAP
B

This product qualifies for inclusion within the Local Environment Risk Assessment for Pesticides (LERAP) scheme.

Before each spraying operation from a horizontal boom sprayer, either a LERAP must be carried out in accordance with CRD's published guidance or the statutory buffer zone must be maintained. The results of the LERAP must be recorded and kept available for three years – UK only.
RISK TO NON-TARGET INSECTS OR OTHER ARTHROPODS. Avoid spraying within 5 m of the field boundary to reduce effects on non-target insects or other arthropods.

Storage and Disposal

Keep away from food, drink and animal feedingsuffs.

Keep out of the reach of children.

DO NOT RE-USE CONTAINER for any purpose.

KEEP IN ORIGINAL CONTAINER, tightly closed, in a safe place.

On emptying the container, **RINSE CONTAINER THOROUGHLY**. Empty remaining contents in to spray tank.

Triple rinse containers. Empty containers should be taken for local recycling or waste disposal in accordance with local legal requirements. Do not re-use empty containers.
THIS MATERIAL AND ITS CONTAINER must be disposed of in a safe way.
Store in a cool, dry place.

SAFETY INFORMATION

UFI: WC00-509Q-400N-GX5A

NARITA

Emulsifiable concentrate containing 250 g/L (23.6% w/w) difenoconazole.



DANGER

Harmful if swallowed.

May be fatal if swallowed and enters airways.

Causes serious eye irritation.

Suspected of causing cancer (IE+NI-only).

Very toxic to aquatic life with long lasting effects.

Keep out of reach of children.

Wear protective gloves/protective clothing/eye protection/face protection.

IF SWALLOWED: Immediately call a POISON CENTRE or doctor/physician.

Do NOT induce vomiting.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists get medical advice/attention.

Collect spillage.

Dispose of contents/container to a licensed hazardous waste disposal contractor or collection site except for empty, triple rinsed containers which can be disposed of as non-hazardous waste.

Repeated exposure may cause skin dryness or cracking.

To avoid risks to human health and the environment, comply with the instructions for use.

MAPP 20524/PCS 04950

IMPORTANT INFORMATION

FOR USE ONLY AS AN AGRICULTURAL FUNGICIDE

Crop	Maximum individual dose	Maximum number of applications	Latest time of application
Potato	0.5 L/ha	4 per crop	14 days before harvest

Other Specific Restrictions

- 1) This product qualifies for inclusion within the Local Environment Risk Assessment for Pesticides (LERAP) scheme. Before each spraying operation from a horizontal boom sprayer, either a LERAP must be carried out in accordance with the 'Local Environment Risk Assessment for Pesticides Horizontal Boom Sprayers' booklet available from the HSE Chemicals Regulation Division's website or the statutory buffer zone must be maintained. The results of the LERAP must be recorded and kept available for three years - UK only.
To protect aquatic organisms respect an unsprayed buffer zone of 5m to surface water bodies – Ireland.
- 2) Do not re-use container for any purpose.

READ THE LABEL BEFORE USE. USING THIS PRODUCT IN A MANNER THAT IS INCONSISTENT WITH THE LABEL MAY BE AN OFFENCE. FOLLOW THE CODE OF PRACTICE FOR USING PLANT PROTECTION PRODUCTS.

DIRECTIONS FOR USE

IMPORTANT: This information is approved as part of the Product Label. All instructions within this section must be read carefully in order to obtain safe and successful use of this product.

CROP SPECIFIC INFORMATION

NARITA controls *Alternaria* spp. in potatoes. Up to 4 applications can be made at a 10-14 day interval at a dose of 0.5 L/ha in 200-350 L water/ha. First application should be at first signs of disease or following local warnings. Respect a pre-harvest interval of 14 days.

MIXING AND SPRAYING

Make sure the sprayer is set to give an even application at the correct volume.

Fill the spray tank with half the required volume of clean water and start agitation. Add the required amount of NARITA and continue agitation while adding the rest of the water. Agitate the mixture thoroughly before use and continue agitation during spraying.

Thoroughly wash all spray equipment with water immediately after use.

COMPATIBILITY

In case of tank mixes with trace elements, it is recommended that NARITA is added first to the tank with constant agitation and the mixture is sprayed without delay.

The user should ensure that all products to be tank-mixed with NARITA are approved for use on the crops which are to be sprayed. Always refer to other manufacturers product information when mixing to ensure correct product use. Each product should be added separately to the bulk of the water in the spray tank and thoroughly mixed before adding the next chemical. Always use constant agitation of the sprayer tank during mixing, transportation and application. Spray immediately.

WARRANTY

The seller makes no warranty, expressed or implied, with regard to the use of the product other than that indicated on the label. The purchaser and user shall assume all risk associated with use and/or handling and/or the storage of the product, if this use and/or handling and/or storage are carried out contrary to the instructions on the label.

To access the Safety Data Sheet for this product scan the QR code or use the weblink below:

WEBLINK to specific data sheet on manufacturer's website:



https://certisbelchim.co.uk/pdf/MSDS/Narita_MSDS.pdf

Alternatively, contact your supplier.