

Trade name: Wuxal Calcium**Product no.:** AN 107 C1568 UK**Current version :** 5.0.1, issued: 08.04.2024**Replaced version:** 5.0.0, issued: 26.02.2024**Region:** GB**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifier**

Trade name

Wuxal Calcium**1.2 Relevant identified uses of the substance or mixture and uses advised against****Relevant identified uses of the substance or mixture**

Fertilizer

Uses advised against

No data available.

1.3 Details of the supplier of the safety data sheet**Address**

Certis Belchim B.V. (EU)

Stadsplateau 16

3521 AZ Utrecht - Nederland

Telephone no. 0031 (0)30 200 1200

Fax no. 0031 (0)30 310 0241

e-mail info@certisbelchim.com**Advice on Safety Data Sheet**www.certisbelchim.com**Identification of the supplier****Address**

Certis Belchim B.V. - United Kingdom

Suite 5, 3 Riverside, Granta Park - Great Abington

Cambridgeshire CB21 6AD

United Kingdom

Telephone no. 0044 (0) 1223 652500

Fax no. 0044 (0)1223 891210

e-mail info.uk@certisbelchim.com - www.certisbelchim.co.uk**1.4 Emergency telephone number**

Carechem 24 EU: +44 1235 239670

SECTION 2: Hazards identification**2.1 Classification of the substance or mixture****Classification in accordance with Regulation (EC) No 1272/2008 (CLP)**

Acute Tox. 4; H302

Eye Dam. 1; H318

Classification information

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

2.2 Label elements**Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)****Hazard pictograms**

Trade name: Wuxal Calcium**Product no.:** AN 107 C1568 UK**Current version :** 5.0.1, issued: 08.04.2024**Replaced version:** 5.0.0, issued: 26.02.2024**Region:** GB

GHS05

GHS07

Signal word

Danger

Hazardous component(s) to be indicated on label:

ammonium-calcium-nitrate

Hazard statement(s)

H302

Harmful if swallowed.

H318

Causes serious eye damage.

Precautionary statement(s)

P280

Wear eye protection/face protection.

P301+P312

IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P305+P351+P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310

Immediately call a POISON CENTER/doctor.

P501

Dispose of contents/ container to a licensed hazardous waste disposal contractor or collection site except for triple rinsed empty clean containers which can be disposed of as non-hazardous waste.

2.3 Other hazards

This product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

PBT assessment

The product is not considered to be a PBT.

vPvB assessment

The product is not considered to be a vPvB.

SECTION 3: Composition/information on ingredients**3.1 Substances**

Not applicable. The product is not a substance.

3.2 Mixtures**Hazardous ingredients**

No	Substance name	Additional information	
	CAS / EC / Index / REACH no	Classification (EC) 1272/2008 (CLP)	Concentration
			%
1	ammonium-calcium-nitrate		
	15245-12-2 239-289-5 - 01-2119493947-16	Acute Tox. 4; H302 Eye Dam. 1; H318	>= 50.00 - < 70.00 wt%
2	ammonium nitrate		
	6484-52-2 229-347-8 - 01-2119490981-27	Ox. Sol. 3; H272 Eye Irrit. 2; H319	< 2.50 wt%
3	boric acid		
	10043-35-3 233-139-2 005-007-00-2 01-2119486683-25	Repr. 1B; H360FD	< 0.50 wt%

Full Text for all H-phrases and EUH-phrases: pls. see section 16

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
2	-	Eye Irrit. 2; H319: C >= 80%	-	-

Acute toxicity estimate (ATE) values

Trade name: Wuxal Calcium**Product no.:** AN 107 C1568 UK**Current version :** 5.0.1, issued: 08.04.2024**Replaced version:** 5.0.0, issued: 26.02.2024**Region:** GB

No	oral	dermal	inhalative
1	500 mg/kg bodyweight		

3.3 Other information

Fertilizer, 10% total Nitrogen, 8.5% Nitrate-N, 1.3% Urea-N, 15% Calcium oxide water-soluble, 2.0% Magnesium oxide water-soluble, 0.05% Boron water-soluble, 0.04% Copper water-soluble chelated by EDTA, 0.05% Iron water-soluble chelated by EDTA, 0.1% Manganese water-soluble chelated by EDTA, 0.001% Molybdenum water-soluble, 0.02% Zinc water-soluble chelated by EDTA

SECTION 4: First aid measures**4.1 Description of first aid measures****General information**

If medical advice is needed, have product container or label at hand.

After inhalation

Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

After skin contact

Take off contaminated clothing. Wash with plenty of water. If skin irritation occurs: Get medical advice/attention. Wash contaminated clothing before reuse.

After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Rinse AWAY from the unaffected eye. Immediately call a POISON CENTER or doctor/physician.

After ingestion

Rinse mouth. Call a POISON CENTER or doctor/physician.

4.2 Most important symptoms and effects, both acute and delayed

No data available.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures**5.1 Extinguishing media****Suitable extinguishing media**

Alcohol-resistant foam; Carbon dioxide; Extinguishing powder; Water spray jet

Unsuitable extinguishing media

High power water jet

5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon dioxide (CO₂); Carbon monoxide (CO); Ammonia (NH₃); Nitrogen oxides (NO_x); Sulphur oxides (S_xO_y); Hydrogen chloride

5.3 Advice for firefighters

Fire-fighting operations, rescue and clearing work under effect of combustion and smoulder gases just may be done with breathing apparatus. Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations. Wear protective clothing.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures****For non-emergency personnel**

Refer to protective measures listed in sections 7 and 8. Ensure adequate ventilation.

For emergency responders

Personal protective equipment (PPE) - see section 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge uncontrolled into the subsoil/soil.

Trade name: Wuxal Calcium**Product no.:** AN 107 C1568 UK**Current version :** 5.0.1, issued: 08.04.2024**Replaced version:** 5.0.0, issued: 26.02.2024**Region:** GB**6.3 Methods and material for containment and cleaning up**

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13). When collected, handle material as described under the section heading "Disposal considerations".

6.4 Reference to other sections

Information regarding waste disposal, see section 13. Information regarding personal protective measures, see section 8. Information regarding safe handling, see section 7.

SECTION 7: Handling and storage**7.1 Precautions for safe handling****Advice on safe handling**

No special measures necessary if stored and handled as prescribed. Provide good ventilation at the work area (local exhaust ventilation, if necessary).

General protective and hygiene measures

Keep away from food, drink and animal feeding stuffs. Wash hands before breaks and after work. Do not eat, drink or smoke during work time. Remove soiled or soaked clothing immediately. Do not inhale vapours.

Advice on protection against fire and explosion

No special measures necessary.

7.2 Conditions for safe storage, including any incompatibilities**Technical measures and storage conditions**

Keep container tightly closed and dry in a cool, well-ventilated place. Keep from freezing. Protect from heat and direct sunlight.

Recommended storage temperature

Value 5 - 40 °C

Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Keep only in the original container.

Incompatible products

Do not store together with food, beverages and animal feeds.

7.3 Specific end use(s)**Industry solution**

Always read the label and product information before use.

SECTION 8: Exposure controls/personal protection**8.1 Control parameters****DNEL, DMEL and PNEC values****DNEL values (worker)**

No	Substance name			CAS / EC no	
	Route of exposure	Exposure time	Effect	Value	
1	ammonium-calcium-nitrate			15245-12-2 239-289-5	
	dermal	Long term (chronic)	systemic	13.9	mg/kg/day
	inhalative	Long term (chronic)	systemic	24.5	mg/m ³
2	ammonium nitrate			6484-52-2 229-347-8	
	dermal	Long term (chronic)	systemic	5.12	mg/kg/day
	inhalative	Long term (chronic)	systemic	36	mg/m ³
3	boric acid			10043-35-3 233-139-2	
	dermal	Long term (chronic)	systemic	392	mg/kg/day
	inhalative	Long term (chronic)	systemic	8.3	mg/m ³

Trade name: Wuxal Calcium**Product no.:** AN 107 C1568 UK**Current version :** 5.0.1, issued: 08.04.2024**Replaced version:** 5.0.0, issued: 26.02.2024**Region:** GB**DNEL value (consumer)**

No	Substance name			CAS / EC no	
	Route of exposure	Exposure time	Effect	Value	
1	ammonium-calcium-nitrate			15245-12-2 239-289-5	
	oral	Long term (chronic)	systemic	8.33	mg/kg/day
	dermal	Long term (chronic)	systemic	8.33	mg/kg/day
	inhalative	Long term (chronic)	systemic	6.3	mg/m ³
2	ammonium nitrate			6484-52-2 229-347-8	
	oral	Long term (chronic)	systemic	2.56	mg/kg/day
	dermal	Long term (chronic)	systemic	2.56	mg/kg/day
	inhalative	Long term (chronic)	systemic	8.9	mg/m ³
3	boric acid			10043-35-3 233-139-2	
	oral	Short term (acut)	systemic	0.98	mg/kg/day
	oral	Long term (chronic)	systemic	0.98	mg/kg/day
	dermal	Long term (chronic)	systemic	196	mg/kg/day
	inhalative	Long term (chronic)	systemic	4.15	mg/m ³

PNEC values

No	Substance name		CAS / EC no	
	ecological compartment	Type	Value	
1	ammonium-calcium-nitrate		15245-12-2 239-289-5	
	water	fresh water	0.45	mg/L
	water	marine water	0.045	mg/L
	water	Aqua intermittent	4.5	mg/L
	sewage treatment plant	-	18	mg/L
2	ammonium nitrate		6484-52-2 229-347-8	
	sewage treatment plant	-	18	mg/L
3	boric acid		10043-35-3 233-139-2	
	water	fresh water	2.9	mg/L
	water	marine water	2.9	mg/L
	water	Aqua intermittent	13.7	mg/L
	soil	-	5.7	mg/kg dry weight
	sewage treatment plant	-	10	mg/L

8.2 Exposure controls**Appropriate engineering controls**

No data available.

Personal protective equipment**Respiratory protection**

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified.

Eye / face protection

Safety glasses with side protection shield (EN 166)

Hand protection

In case of intensive contact, wear protective gloves (EN 374). Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material

NBR

Material thickness

>=

0.4

mm

Trade name: Wuxal Calcium**Product no.:** AN 107 C1568 UK**Current version :** 5.0.1, issued: 08.04.2024**Replaced version:** 5.0.0, issued: 26.02.2024**Region:** GB

Breakthrough time >= 480 min

Other

Chemical-resistant work clothes. Rubber boots. (EN 13832-3/EN ISO 20345)

Environmental exposure controls

No data available.

SECTION 9: Physical and chemical properties**9.1 Information on basic physical and chemical properties**

State of aggregation			
liquid			
Form			
liquid			
Colour			
dark green			
Odour			
characteristic			
pH value			
Value	5		
Concentration	100	%	
Source	manufacturer		
Boiling point / boiling range			
No data available			
Melting point/freezing point			
No data available			
Decomposition temperature			
No data available			
Flash point			
No data available			
Ignition temperature			
No data available			
Flammability			
No data available			
Lower explosion limit			
No data available			
Upper explosion limit			
No data available			
Vapour pressure			
No data available			
Relative vapour density			
No data available			
Relative density			
No data available			
Density			
Value	1.6	kg/l	
Reference temperature	20	°C	
Source	manufacturer		
Solubility in water			
Source	manufacturer		

Trade name: Wuxal Calcium**Product no.:** AN 107 C1568 UK**Current version :** 5.0.1, issued: 08.04.2024**Replaced version:** 5.0.0, issued: 26.02.2024**Region:** GB

Comments	soluble
----------	---------

Solubility

No data available

Partition coefficient n-octanol/water (log value)

No data available

Kinematic viscosity

No data available

Particle characteristics

No data available

9.2 Other information**Other information**

No data available.

SECTION 10: Stability and reactivity**10.1 Reactivity**

The product is stable under normal storage and handling conditions.

10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

10.3 Possibility of hazardous reactions

Dangerous reactions are not to be expected when handling product according to its intended use.

10.4 Conditions to avoid

Protect from heat and direct sunlight.

10.5 Incompatible materials

Bases

10.6 Hazardous decomposition products

None if stored, handled and transported properly. In case of fire: see section 5.

SECTION 11: Toxicological information**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

Acute oral toxicity (result of the ATE calculation for the mixture)	
No	Product Name
1	Wuxal Calcium
ATE (Mixture) Method	715.31 mg/kg Calculation method according Regulation (EC) No 1272/2008, (CLP), annex I, part 3, section 3.1.3.6.

Acute oral toxicity			
No	Substance name	CAS no.	EC no.
1	ammonium-calcium-nitrate	15245-12-2	239-289-5
LD50		300 - 2000	mg/kg bodyweight
Species		rat	
Method		OECD 423	
Source		ECHA	
2	ammonium nitrate	6484-52-2	229-347-8
LD50		2950	mg/kg bodyweight
Species		rat	
Method		OECD 401	
Source		ECHA	

Acute dermal toxicity			
No	Substance name	CAS no.	EC no.
1	ammonium-calcium-nitrate	15245-12-2	239-289-5

Trade name: Wuxal Calcium**Product no.:** AN 107 C1568 UK**Current version :** 5.0.1, issued: 08.04.2024**Replaced version:** 5.0.0, issued: 26.02.2024**Region:** GB

LD50	>	2000	mg/kg bodyweight
Species	rabbit		
Method	OECD 402		
Source	ECHA		
2	ammonium nitrate	6484-52-2	229-347-8
LD50	>	5000	mg/kg bodyweight
Species	rat		
Method	OECD 402		
Source	ECHA		

Acute inhalational toxicity

No	Substance name	CAS no.	EC no.
1	ammonium nitrate	6484-52-2	229-347-8
LC50	>	88.8	mg/l
Duration of exposure		4	h
State of aggregation	Dust		
Species	rat		
Source	ECHA		

Skin corrosion/irritation

No	Substance name	CAS no.	EC no.
1	ammonium-calcium-nitrate	15245-12-2	239-289-5
Species	rabbit		
Method	OECD 404		
Source	ECHA		
Evaluation	non-irritant		
Evaluation/classification	Based on available data, the classification criteria are not met.		
2	ammonium nitrate	6484-52-2	229-347-8
Species	rabbit		
Method	OECD 404		
Source	ECHA		
Evaluation	non-irritant		

Serious eye damage/irritation

No	Substance name	CAS no.	EC no.
1	ammonium-calcium-nitrate	15245-12-2	239-289-5
Species	rabbit		
Method	OECD 405		
Source	ECHA		
Evaluation	corrosive		
2	ammonium nitrate	6484-52-2	229-347-8
Species	rabbit		
Method	OECD 405		
Source	ECHA		
Evaluation	irritant		

Respiratory or skin sensitisation

No	Substance name	CAS no.	EC no.
1	ammonium-calcium-nitrate	15245-12-2	239-289-5
Route of exposure	Skin		
Species	mouse		
Method	OECD 429		
Source	ECHA		
Evaluation	non-sensitizing		
2	ammonium nitrate	6484-52-2	229-347-8
Route of exposure	Skin		
Species	mouse		
with reference to	CAS 15245-12-2		
Method	OECD 429		
Source	ECHA		
Evaluation	non-sensitizing		

Germ cell mutagenicity

Trade name: Wuxal Calcium**Product no.:** AN 107 C1568 UK**Current version :** 5.0.1, issued: 08.04.2024**Replaced version:** 5.0.0, issued: 26.02.2024**Region:** GB

No	Substance name	CAS no.	EC no.
1	ammonium nitrate	6484-52-2	229-347-8
with reference to Source Evaluation/classification		CAS 15245-12-2 ECHA On the basis of the available information, the classification criteria are not met.	

Reproduction toxicity			
No	Substance name	CAS no.	EC no.
1	ammonium nitrate	6484-52-2	229-347-8
Route of exposure		oral	
		>=	1500 mg/kg bw/d
Type of examination with reference to Method Source Evaluation/classification		NOAEL CAS 7757-79-1 OECD 422 ECHA On the basis of the available information, the classification criteria are not met.	

Carcinogenicity	
No data available	

STOT - single exposure	
No data available	

STOT - repeated exposure	
No data available	

Aspiration hazard	
No data available	

11.2 Information on other hazards**Endocrine disrupting properties**

No data available.

Other information

No data available.

SECTION 12: Ecological information**12.1 Toxicity**

Toxicity to fish (acute)	
No data available	

Toxicity to fish (chronic)	
No data available	

Toxicity to Daphnia (acute)	
No data available	

Toxicity to Daphnia (chronic)	
No data available	

Toxicity to algae (acute)	
No data available	

Toxicity to algae (chronic)			
No	Substance name	CAS no.	EC no.
1	ammonium nitrate	6484-52-2	229-347-8
EC50		>	1700 mg/l
Duration of exposure		10	day(s)
Species with reference to Source		Algae CAS 7757-79-1 ECHA	

Trade name: Wuxal Calcium**Product no.:** AN 107 C1568 UK**Current version :** 5.0.1, issued: 08.04.2024**Replaced version:** 5.0.0, issued: 26.02.2024**Region:** GB**Bacteria toxicity**

No data available

12.2 Persistence and degradability

No data available.

12.3 Bioaccumulative potential

No data available.

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment**Results of PBT and vPvB assessment**

PBT assessment

The product is not considered to be a PBT.

vPvB assessment

The product is not considered to be a vPvB.

12.6 Endocrine disrupting properties

No data available.

12.7 Other adverse effects

No data available.

12.8 Other information**Other information**

Do not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations**13.1 Waste treatment methods****Product**

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Packaging

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

SECTION 14: Transport information**14.1 UN number or ID number**

Not classified as dangerous in the meaning of transport regulations.

14.2 UN proper shipping name

Not classified as dangerous in the meaning of transport regulations.

14.3 Transport hazard class(es)

Not classified as dangerous in the meaning of transport regulations.

14.4 Packing group

Not classified as dangerous in the meaning of transport regulations.

14.5 Environmental hazards

Not classified as dangerous in the meaning of transport regulations.

14.6 Special precautions for user

No data available.

14.7 Maritime transport in bulk according to IMO instruments

Not relevant

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

Trade name: Wuxal Calcium**Product no.:** AN 107 C1568 UK**Current version :** 5.0.1, issued: 08.04.2024**Replaced version:** 5.0.0, issued: 26.02.2024**Region:** GB**EU regulations**

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)				
According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.				
REACH candidate list of substances of very high concern (SVHC) for authorisation				
The product contains following substance(s) meeting the criteria in Article 57 in association with Article 59 of the REACH regulation ((EC) 1907/2006) that are placed on the list of candidates considered for inclusion in annex XIV (substances subject to Authorisation).				
No	Substance name	CAS no.	EC no.	
1	boric acid	10043-35-3	233-139-2	
Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES				
The product is considered being subject to REACH regulation (EC) 1907/2006 annex XVII.			No 3	
The product contains following substance(s) that are considered being subject to REACH regulation (EC) 1907/2006 annex XVII.				
No	Substance name	CAS no.	EC no.	No
1	ammonium nitrate	6484-52-2	229-347-8	58, 65
2	ammonium-calcium-nitrate	15245-12-2	239-289-5	65
3	boric acid	10043-35-3	233-139-2	30, 75
Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances				
This product is not subject to Part 1 or 2 of Annex I.				
Other regulations				
Adhere to the national sanitary and occupational safety regulations when using this product.				

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

SECTION 16: Other information**Sources of key data used to compile the data sheet:**

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H272 May intensify fire; oxidiser.
 H319 Causes serious eye irritation.
 H360FD May damage fertility. May damage the unborn child.

Creation of the safety data sheet

UMCO GmbH

Georg-Wilhelm-Str. 187, D-21107 Hamburg

Tel.: +49 40 / 555 546 300 Fax: +49 40 / 555 546 357 e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.
 Prod-ID 763428

Trade name: Wuxal Calcium

Product no.: AN 107 C1568 UK

Current version : 5.0.1, issued: 08.04.2024

Replaced version: 5.0.0, issued: 26.02.2024

Region: GB
